

本センター研究者による公表論文リスト

2016 年

■査読のある論文

著者・著作名
Ahn, H.-S., Kidane, T., Yamamoto, Y. and Otofujii, Y.-i., Low geomagnetic field intensity in the Matuyama Chron: palaeomagnetic study of a lava sequence from Afar depression, East Africa, <i>Geophysical Journal International</i> , 204, 1, 127–146, 2016. (共同利用)
Araoka, D., Nishio, Y., Gamo, T., Yamaoka, K., Kawahata, H. Lithium isotopic systematics of submarine vent fluids from arc and back-arc hydrothermal systems in the western Pacific, <i>Geochemistry, Geophysics, Geosystems</i> , doi:10.1002/2016GC006355, 2016.
Barlow, E., Van Kranendonk, M. J., Yamaguchi, K. E., Ikehara, M. and Lepland, A., Lithostratigraphic analysis of a new stromatolite thrombolite reef from across the rise of atmospheric oxygen in the Paleoproterozoic Turee Creek Group, Western Australia, <i>Geobiology</i> , 14, 4, 2016. doi: 10.1111/gbi.12175.
Fujinaga, K., Yasukawa, K., Nakamura, K., Machida, S., Takaya, Y., Ohta, J., Araki, S., Liu, H., Usami, R., Maki, R., Haraguchi, S., Nishio, Y., Usui, Y., Nozaki, T., Yamazaki, T., Ichiyama, Y., Ijiri, A., Inagaki, F., Machiyama, H., Iijima, K., Suzuki, K., Kato Y., and KR13-02, MR13-E02 Leg 2 and KR14-02 Cruise members. Geochemistry of REY-rich mud in the Japanese Exclusive Economic Zone around Minamitorishima Island, <i>Geochemical Journal</i> 50, doi:10.2343/geochemj.2.0432, 2016.
Hagino, K., Tomioka, N., Young, J.R., Takano, Y., Onuma, R., Horiguchi, T. Extracellular calcification of <i>Braarudosphaera bigelowii</i> deduced from electron microscopic observations of cell surface structure and elemental composition of pentoliths. <i>Marine Micropaleontology</i> 125, 85–94. 2016.
Hagino, K., Utsunomiya, M., Tanaka, Y., Iwai, M. Reference samples to learn calcareous nannofossil biostratigraphy from Miocene to Pleistocene. <i>Bull. Natl. Mus. Nat. Sci., Ser. C</i> , 42, pp. 5–17. 2016
Ichie, T., Inoue, Y., Takahashi, N., Kamiya, K. and Kenzo, T., Ecological distribution of leaf stomata and trichomes among tree species in a Malaysian lowland tropical rain forest, <i>Journal of Plant Research</i> , 129, 4, 625–635.
Iijima, K., Yasukawa, K., Fujinaga, K., Nakamura, K., Machida, S., Takaya, Y., Ohta, J., Haraguchi, S., Nishio, N., Usui, Y., Nozaki, T., Yamazaki, T., Ichiyama, Y., Ijiri, A., Inagaki, F., Machiyama, H., Suzuki, K., Kato, Y., and KR13-02 Cruise members. Discovery of extremely REY-rich mud in the western North Pacific Ocean, <i>Geochemical Journal</i> 50, doi:10.2343/geochemj.2.0431, 2016.

<p>Ishiwa, T., Miyairi, Y., Obrochta, S., Sasaki, T., Kitamura, A., Suzuki, A., Ikehara, M., Ikehara, K., Kimoto, K., Bourget, J., Matsuzaki, H., Reappraisal of sea-level lowstand during the Last Glacial Maximum observed in the Bonaparte Gulf sediments, northwestern Australia, <i>Quaternary International</i>, 397, 373–379, 2016, 0.1016/j.quaint.2015.03.032. (共同利用)</p>
<p>Ishiwa, T., Yokoyama, Y., Miyairi, Y., Ikehara, M., Obrochta, S., Sedimentary environmental change induced from late Quaternary sea-level change in the Bonaparte Gulf, northwestern Australia, <i>Geoscience Letters</i>, 3: 33. DOI:10.1186/s40562-016-0065-0, 2016. (共同利用)</p>
<p>Iwatani, H., Kondo, Y., Irizuki, T., Iwai, M., Ikehara, M., Orbital obliquity cycles recorded in Kuroshio Current region, eastern Asia, around Pliocene-Pleistocene boundary, <i>Quaternary Science Reviews</i>, 140, 67–74, 2016.</p>
<p>Kagoshima, T., Sano, Y., Takahata, N., Ishida, A., Tomonaga, Y., Roulleau, E., Pinti, D.L., Fischer, T.P., Lan, T., Nishio, Y., Tsunogai, Y., Guo Z., Spatial and temporal variations of gas geochemistry at Mt. Ontake, Japan, <i>Journal of Volcanology and Geothermal Research</i> 325, 179–188. 2016.</p>
<p>Kaneki, S., Hirono, T., Mukoyoshi, H., Sampei, Y., Ikehara, M., Organochemical characteristics of carbonaceous materials as indicators of heat recorded on an ancient plate-subduction fault, <i>Geochemistry, Geophysics, Geosystems</i>, 17, 2855–2868, doi:10.1002/2016GC006368, 2016. (共同利用)</p>
<p>Kawamura, Y., Hayashi, J., Takeda, K., Sekine, C., Tanida, H., Sera, M. and Nishioka, T., Structural Analysis of Novel Antiferromagnetic Material CeRu₂Al₁₀ and Its Related Compounds under Pressure, <i>Journal of the Physical Society of Japan</i>, 85, 4, 044601, 2016.</p>
<p>Kira, N., Yoshimatsu, T., Fukunaga, K., Okada, S., Adachi, M. and Kadono, T., Expression Profile of Genes Involved in Isoprenoid Biosynthesis in the Marine Diatom <i>Phaeodactylum tricorutum</i>, <i>Environmental Control in Biology</i>, 54, 1, 31–37, 2016.</p>
<p>Matsui, H., Nishi, H., Takashima, R., Kuroyanagi, A., Ikehara, M., Takayanagi, H., Iryu, Y., Changes in the depth habitat of the Oligocene planktic foraminifera (<i>Dentoglobigerina venezuelana</i>) induced by thermocline deepening in the eastern equatorial Pacific, <i>Paleoceanography</i>, 31, 2016PA002950, DOI: 10.1002/2016PA002950, 2016. (共同利用)</p>
<p>Nakabayashi, R., Sawada, Y., Aoyagi, M., Yamada, Y., Hirai, M.Y., Sakurai, T., Kamoi, T., Rowan, D. D. and Saito, K., Chemical Assignment of Structural Isomers of Sulfur-Containing Metabolites in Garlic by Liquid Chromatography—Fourier Transform Ion Cyclotron Resonance—Mass Spectrometry, <i>The Journal of Nutrition</i>, 146, 2, 397S–402S, 2016.</p>
<p>Nakamura, A., Yokoyama, Y., Maemoku, H., Yagi, H., Okamura, M., Matsuoka, H., Miyake, N., Osada, T., Adhikari, D. P., Dangol, V., Ikehara, M., Miyairi, Y. and Matsuzaki, H., Weak monsoon event at 4.2 ka recorded in sediment from Lake Rara, Himalayas, <i>Quaternary International</i>, 397, 349–359, 2016.</p>
<p>Nishimura, T., Hariganeya, N., Tawong, W., Sakanari, H., Yamaguchi, H. and Adachi, M., Quantitative PCR assay for detection and enumeration of ciguatera-causing dinoflagellate <i>Gambierdiscus</i> spp. (<i>Gonyaulacales</i>) in coastal areas of Japan, <i>Harmful Algae</i>, 52, 11–22, 2016.</p>

<p>Noguchi, A., Yamamoto, Y., Nishi, K., Usui, A., Oda, H, Paleomagnetic study of ferromanganese crusts recovered from the northwest Pacific – Testing the applicability of the magnetostratigraphic method to estimate growth rate, <i>Ore Geol. Rev.</i>, 2016.</p>
<p>Oda, H., Miyagi, I., Kawai, J., Sugauma, Y., Funaki, M., Imae, N., Mikouchi, T., Matsuzaki, T. and Yamamoto, Y., Volcanic ash in bare ice south of S-r Rondane Mountains, Antarctica: geochemistry, rock magnetism and nondestructive magnetic detection with SQUID gradiometer, <i>Earth, Planets and Space</i>, 68, 1, 1–19, 2016. (共同利用)</p>
<p>Oda, H., Xuan, C. and Yamamoto, Y., Toward robust deconvolution of pass-through paleomagnetic measurements: new tool to estimate magnetometer sensor response and laser interferometry of sample positioning accuracy, <i>Earth Planets Space</i>, 68, 109, doi:10.1186/s40623-016-0493-2., 2016. (共同利用)</p>
<p>Ohkushi, K., Hara, N., Ikehara, M., Uchida, M., Ahagon, N., Intensification of North Pacific intermediate water ventilation during the Younger Dryas, <i>Geo-Marine Letters</i>, DOI 10.1007/s00367-016-0450-x, 2016. (共同利用)</p>
<p>Onoue, T., Sato, H., Yamashita, D., Ikehara, M., Yasukawa, K., Fujinaga, K., Kato, Y., Matsuoka, A. Bolide impact triggered the Late Triassic extinction event in equatorial Panthalassa, <i>Scientific Reports</i>, 6, 2016. <i>Earth, Planets and Space</i>, 68, 1, 1–19, 2016.</p>
<p>Shinozaki, T., Sawai, Y., Hara, J., Ikehara, M., Matsumoto, D., Tanigawa, H. Geochemical characteristics of deposits from the 2011 Tohoku-oki tsunami at Hasunuma, Kujukuri coastal plain, Japan, <i>Island Arc</i> 25, 350–368.2016. (共同利用)</p>
<p>Tanaka-Oda, A., Kenzo, T., Inoue, Y., Yano, M., Koba, K. and Ichie, T., Variation in leaf and soil $\delta^{15}\text{N}$ in diverse tree species in a lowland dipterocarp rainforest, Malaysia, <i>Trees</i>, 30, 2, 509–522 (2016)</p>
<p>Tanaka, H., and Yamamoto, Y., Palaeointensities from Pliocene lava sequences in Iceland: Emphasis on the problem of Arai plot with two linear segments, <i>Geophys. J. Int.</i>, 205, 694–714., 2016.</p>
<p>Tonai, S., Ito, S., Hashimoto, Y., Tamura, H., and Tomioka, N. Complete ^{40}Ar resetting in an ultracataclasite by reactivation of a fossil seismogenic fault along the subducting plate interface in the Mugi Melange of the Shimanto accretionary complex, southwest Japan, <i>Journal of Structural Geology</i>, 89, 19–29. doi.org/10.1016/j.jsg.2016.05.004., 2016.</p>
<p>Ujii, Y., Asahi, H., Sagawa, T., Bassinot, F. Evolution of the North Pacific Subtropical Gyre during the past 190kyr through the interaction of the Kuroshio Current with the surface and intermediate waters, <i>Paleoceanography</i>, 350–368. 2016. DOI: 10.1002/2015PA002914</p>
<p>Weiner A.K.M, Morard R., Weinkauf M.F.G, Darling K.F., Andre, A. Quillevere, F., Ujii, Y., Douady, C.J., de Vargas, C. Kucera, M. Methodology for Single-Cell Genetic Analysis of Planktonic Foraminifera for Studies of Protist Diversity and Evolution. <i>Front. Mar. Sci.</i> 3:255. 2016. doi: 10.3389/fmars.2016.00255</p>

Yamaguchi, T., Goedert, J.L., Kiel, S.: Marine ostracodes from Paleogene hydrocarbon seep deposits in Washington State, USA and their ecological structure. *Geobios.* doi: 10.1016/j.geobios.2016.06.003, <http://www.sciencedirect.com/science/article/pii/S0016699516300560>, 2016.

Yamaguchi, T., Matsui, H. and Nishi, H., Taxonomy of Maastrichtian–Thanetian deep–sea ostracodes from U1407, IODP Exp 342, off Newfoundland, Northwestern Atlantic, part 1: Families Cytherellidae, Bairdiidae, Pontocyprididae, Bythocytheridae, and Cytheruridae, *Paleontological Research*, in Press.

Yamaguchi, T., Matsui, H., Nishi, H. Taxonomy of Maastrichtian–Thanetian deep–sea ostracodes from U1407, IODP Exp. 342, off Newfoundland, Northwestern Atlantic, part 1: Families Cytherellidae, Bairdiidae, Pontocyprididae, Bythocytheridae, and Cytheruridae. *Paleontological Research*.in Press.

Yamaguchi, T., Terada, T., Morono, Y. : Osmium plasma coating for observation of microfossils, using optical and scanning electron microscopes. *Paleontological Research*, 2016, doi:10.2517/2016PR002. In press